



compact table top



material
composition
HPL Phenolic Compact

UVA resistance
contrast >3 aspect >4 (max.5)

outdoor resistance
>4 (max.5)

dimensional stability

scratch resistance
>3

bending resistance
>120N/mm2

flammability
class 1

structure



white



antracita



brown cobre



stone



marfil



grafito



anodized

finish
structure
polyester powder coating

material
structure
extruded aluminium

tempered glass



clear glass



white



chocolate

material
composition
vitrified tempered glass

Uniformity of color
Ensures the uniformity of color on the sheet

thickness
8 mm.

Vickers harness
4.2+-0.1

colour fastness friction
S/UNE EN ISO 105-X12

Standards
UNE-EN 572-2

porcelain table top



antracita



snow

material
composition
top quality 3+3mm.thick porcelain panel


water absorption
UNE-EN-ISO 1545-3
breaking load
UNE-EN ISO 1545-4 >700 (>700)

bending resistance
40N/mm2

resistance to stains
UNE-EN-ISO 10545-14 5/5/5

resistance to frost and ice

Dimensions (cm.)



W	90	140	160	185	200	240	140
D	90	90	90	90	100	100	140

Weight

240x100 cm.....63 kg.

200x100 cm.....55kg.

185x90 cm.....46 kg.

160x90 cm.....43 kg.

140x90 cm.....40 kg.

140x140 cm.....53 kg.

90x90 cm.....30 kg.

Volume

240x100 cm.....0,27 m3

200x100 cm.....0,23 m3

185x90 cm.....0,20 m3

160x90 cm.....0,18 m3

140x90 cm.....0,16 m3

140x140 cm.....0,22 m3

90x90 cm.....0,12 m3

Maintenance

It is recommended to clean it with a water humid sponge or a water pressure washer and a little bit of neutral soap.

Other specifications

Outdoor use.

Designed and manufactured 100% in Barcelona, Spain.

info@bivaq.com
www.bivaq.com

Av. J. V. Foix 72-74 bajos
08034 Barcelona

Barcelona
Spain

Tel.: +34 932 057 595
Fax: +34 932 802 124